

PACKAGE OF PRACTICE

TOMATO



AJAY BIO-TECH (INDIA) LTD.

पर्यावरण रक्षा, जीवन की रक्षा

TOMATO

LAND PREPARATION (NURSERY & MAIN FIELD):

Mix Compost 300 kg per Acre + Ajay Neem Cake 100 Kg per acre + apply Ajay Azo (3 lt), Sphurda (2 lt), and Ajay Potash (2 lt) per acre.

SEED TREATMENT:

Mix Nematoguard (for controlling Nematodes) 10 ml. per litre of water and soak seed in this solution for 10 minutes before sowing.

NUTRIENT MANAGEMENT:

Spray Grorich Plus 1 to 1.5 ml per litre of water at 20 days of interval at budding, flowering and fruit development stages.



TOMATO

PLANT PROTECTION:

- **Aphipds, Jassids, White Flies, Thrips :**
Spray Agroneem 1500 ppm @ 2 ml per Litre of water at 15 days intervals as per occurrence of pest. Spray VBM 3 ml. per litre of water at 15 days interval.
- **Red Spider Mites, Leaf Miner:**
Spray Mitlar @ 2 ml /lt of water at 15 days interval.
- **Helicoverpa & Spodoptera Caterpillars:**
Apply Ajay Pheromone Traps@ 8 Traps per acre with Heli Lures (4 Nos.) and Spodo Lures (4 Nos.) each. Spray Biodart @ 5 gm / lt of water at 10 days interval.
- **Root Rot, Stem Rot:**
Drench with Tricho-Guard @ 5 ml / lt of water at 15 days interval.
- **Early Blight, Late Blight, Downy Mildew, Powdery Mildew:**
Spray 5 ml/ lt of water Tricho-Guard and Pseudo-Guard alternately at 10 days interval.

